




WIDE  
OPEN



OUTBOARD | 300HP

## CNC CLEAVER

The Mercury Racing 300HP 5-blade Mercury Racing CNC Outboard Cleaver propellers are recommended for use with the Mercury Racing 300R outboard fitted with the surface-piercing Sport Master gearcase. The precision-machined props are designed to maximize boat performance and handling in a variety of 300R Sport Master applications. Mercury Racing's proprietary 5-axis CNC production process yields the most consistent, durable, and advanced propellers we have ever produced.

Outboard Cleaver propellers are available with pitch ranges of 26 to 40 inch, 14.63 to 15.25 inch diameter, and 15 or 18 degree rake.

Published July 2022  
© 2022 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.



[MERCURYRACING.COM/PROPELLERS](https://www.mercuryracing.com/propellers)

**MERCURY**  
**RACING**



**300HP OUTBOARD CLEAVER 18° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.63"	8M0187775	8M0187774
	14.75"	8M0187835	8M0187834
	15.00"	8M0187837	8M0187836
	15.25"	8M0187839	8M0187838
<b>27"</b>	14.63"	8M0188075	8M0188074
	14.75"	8M0188077	8M0188076
	15.00"	8M0188079	8M0188078
	15.25"	8M0188193	8M0188192
<b>28"</b>	14.63"	8M0189087	8M0189086
	14.75"	8M0178073	8M0178074
	15.00"	8M0189089	8M0189088
	15.25"	8M0189091	8M0189090
<b>29"</b>	14.63"	8M0189125	8M0189124
	14.75"	8M0189127	8M0189126
	15.00"	8M0189129	8M0189128
	15.25"	8M0189131	8M0189130
<b>30"</b>	14.63"	8M0189143	8M0189142
	14.75"	8M0189369	8M0189368
	15.00"	8M0189371	8M0189370
	15.25"	8M0189373	8M0189372
<b>31"</b>	14.63"	8M0189379	8M0189378
	14.75"	8M0189381	8M0189380
	15.00"	8M0189383	8M0189382
	15.25"	8M0189385	8M0189384
<b>32"</b>	14.63"	8M0189391	8M0189390
	14.75"	8M0189393	8M0189392
	15.00"	8M0189395	8M0189394
	15.25"	8M0189397	8M0189396
<b>33"</b>	14.63"	8M0175873	8M0175874
	14.75"	8M0173605	8M0173606
	15.00"	8M0189405	8M0189404
	15.25"	8M0189407	8M0189406
<b>34"</b>	14.63"	8M0189439	8M0189438
	14.75"	8M0189441	8M0189440
	15.00"	8M0189443	8M0189442
	15.25"	8M0189445	8M0189444
<b>35"</b>	14.63"	8M0189455	8M0189454
	14.75"	8M0189457	8M0189456
	15.00"	8M0189459	8M0189458
	15.25"	8M0189461	8M0189460
<b>36"</b>	14.63"	8M0189471	8M0189470
	14.75"	8M0189473	8M0189472
	15.00"	8M0189475	8M0189474
	15.25"	8M0189477	8M0189476
<b>37"</b>	14.63"	8M0189485	8M0189484
	14.75"	8M0189487	8M0189486
	15.00"	8M0189489	8M0189488
	15.25"	8M0189491	8M0189490

**300HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.63"	8M0187767	8M0187766
	14.75"	8M0187769	8M0187768
	15.00"	8M0187771	8M0187770
	15.25"	8M0187773	8M0187772
<b>27"</b>	14.63"	8M0187841	8M0187840
	14.75"	8M0187843	8M0187842
	15.00"	8M0188071	8M0188070
	15.25"	8M0188073	8M0188072
<b>28"</b>	14.63"	8M0188195	8M0188194
	14.75"	8M0188197	8M0188196
	15.00"	8M0189083	8M0189082
	15.25"	8M0189085	8M0189084
<b>29"</b>	14.63"	8M0189093	8M0189092
	14.75"	8M0189095	8M0189094
	15.00"	8M0189121	8M0189120
	15.25"	8M0189123	8M0189122
<b>30"</b>	14.63"	8M0189133	8M0189132
	14.75"	8M0189135	8M0189134
	15.00"	8M0173545	8M0173546
	15.25"	8M0189139	8M0189136
<b>31"</b>	14.63"	8M0189375	8M0189374
	14.75"	8M0175699	8M0175698
	15.00"	8M0174087	8M0174086
	15.25"	8M0189377	8M0189376
<b>32"</b>	14.63"	8M0189387	8M0189386
	14.75"	8M0175691	8M0175692
	15.00"	8M0173547	8M0173548
	15.25"	8M0189389	8M0189388
<b>33"</b>	14.63"	8M0169471	8M0169470
	14.75"	8M0189399	8M0189398
	15.00"	8M0189401	8M0189400
	15.25"	8M0189403	8M0189402
<b>34"</b>	14.63"	8M0189433	8M0189432
	14.75"	8M0189435	8M0189434
	15.00"	8M0175041	8M0175042
	15.25"	8M0189437	8M0189436
<b>35"</b>	14.63"	8M0189447	8M0189446
	14.75"	8M0189449	8M0189448
	15.00"	8M0189451	8M0189450
	15.25"	8M0189453	8M0189452
<b>36"</b>	14.63"	8M0189463	8M0189462
	14.75"	8M0189465	8M0189464
	15.00"	8M0189467	8M0189466
	15.25"	8M0189469	8M0189468
<b>37"</b>	14.63"	8M0189479	8M0189478
	14.75"	8M0181197	8M0181196
	15.00"	8M0189481	8M0189480
	15.25"	8M0189483	8M0189482

**300HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>38"</b>	14.63"	8M0189493	8M0189492
	14.75"	8M0182365	8M0182366
	15.00"	8M0189495	8M0189494
	15.25"	8M0189497	8M0189496
<b>39"</b>	14.63"	8M0189499	8M0189498
	14.75"	8M0189501	8M0189500
	15.00"	8M0189503	8M0189502
	15.25"	8M0189505	8M0189504
<b>40"</b>	14.63"	8M0189507	8M0189506
	14.75"	8M0189509	8M0189508
	15.00"	8M0189511	8M0189510
	15.25"	8M0189513	8M0189512


Published July 2022  
 © 2022 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.







WIDE  
OPEN



OUTBOARD | 400HP

## CNC CLEAVER

The Mercury Racing 400HP 5-blade Mercury Racing CNC Outboard Cleaver propellers are recommended for use with the Mercury Racing 400R outboard fitted with the surface-piercing Sport Master gearcase. The precision-machined props are designed to maximize boat performance and handling in a variety of 400R Sport Master applications. Mercury Racing's proprietary 5-axis CNC production process yields the most consistent, durable, and advanced propellers we have ever produced.

Outboard Cleaver propellers are available with pitch ranges of 26 to 40 inch, 14.63 to 15.25 inch diameter, and 15 or 18 degree rake.

Published July 2022  
© 2022 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.



[MERCURYRACING.COM/PROPELLERS](https://www.mercuryracing.com/propellers)

**MERCURY**  
**RACING**



**400HP OUTBOARD CLEAVER 18° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.63"	8M0186223	8M0186222
	14.75"	8M0186235	8M0186234
	15.00"	8M0152451	8M0152452
	15.25"	8M0186237	8M0186236
<b>27"</b>	14.63"	8M0186283	8M0186282
	14.75"	8M0186285	8M0186284
	15.00"	8M0186287	8M0186286
	15.25"	8M0186289	8M0186288
<b>28"</b>	14.63"	8M0186365	8M0186364
	14.75"	8M0186367	8M0186366
	15.00"	8M0163003	8M0163002
	15.25"	8M0146899	8M0146898
<b>29"</b>	14.63"	8M0186415	8M0186414
	14.75"	8M0186417	8M0186416
	15.00"	8M0144111	8M0144112
	15.25"	8M0186419	8M0186418
<b>30"</b>	14.63"	8M0187107	8M0187106
	14.75"	8M0187109	8M0187108
	15.00"	8M0179843	8M0179844
	15.25"	8M0163751	8M0163752
<b>31"</b>	14.63"	8M0187113	8M0187112
	14.75"	8M0187115	8M0187114
	15.00"	8M0148847	8M0148848
	15.25"	8M0189619	8M0189618
<b>32"</b>	14.63"	8M0189617	8M0189616
	14.75"	8M0165313	8M0165314
	15.00"	8M0145081	8M0145082
	15.25"	8M0143703	8M0143702
<b>33"</b>	14.63"	8M0187143	8M0187142
	14.75"	8M0141471	8M0141472
	15.00"	8M0156781	8M0156780
	15.25"	8M0145071	8M0145072
<b>34"</b>	14.63"	8M0187163	8M0187162
	14.75"	8M0141473	8M0141474
	15.00"	8M0187165	8M0187164
	15.25"	8M0149445	8M0149444
<b>35"</b>	14.63"	8M0187169	8M0187168
	14.75"	8M0175765	8M0175764
	15.00"	8M0146583	8M0146584
	15.25"	8M0187187	8M0187186
<b>36"</b>	14.63"	8M0187191	8M0187190
	14.75"	8M0187193	8M0187192
	15.00"	8M0167837	8M0167838
	15.25"	8M0187195	8M0187194
<b>37"</b>	14.63"	8M0187341	8M0187340
	14.75"	8M0176005	8M0176006
	15.00"	8M0187343	8M0187342
	15.25"	8M0173179	8M0173180

**400HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.63"	8M0186215	8M0186214
	14.75"	8M0186217	8M0186216
	15.00"	8M0186219	8M0186218
	15.25"	8M0186221	8M0186220
<b>27"</b>	14.63"	8M0186239	8M0186238
	14.75"	8M0186241	8M0186240
	15.00"	8M0186243	8M0186242
	15.25"	8M0186281	8M0186280
<b>28"</b>	14.63"	8M0186291	8M0186290
	14.75"	8M0156783	8M0156784
	15.00"	8M0169475	8M0169474
	15.25"	8M0186363	8M0186362
<b>29"</b>	14.63"	8M0186369	8M0186368
	14.75"	8M0186371	8M0186370
	15.00"	8M0186373	8M0186372
	15.25"	8M0145701	8M0145700
<b>30"</b>	14.63"	8M0186421	8M0186420
	14.75"	8M0186423	8M0186422
	15.00"	8M0152315	8M0152316
	15.25"	8M0151077	8M0151078
<b>31"</b>	14.63"	8M0187111	8M0187110
	14.75"	8M0183477	8M0183478
	15.00"	8M0153317	8M0153316
	15.25"	8M0145699	8M0145698
<b>32"</b>	14.63"	8M0187135	8M0187134
	14.75"	8M0187137	8M0187136
	15.00"	8M0140855	8M0140854
	15.25"	8M0147733	8M0147732
<b>33"</b>	14.63"	8M0187141	8M0187140
	14.75"	8M0136309	8M0136308
	15.00"	8M0140247	8M0140248
	15.25"	8M0148161	8M0148162
<b>34"</b>	14.63"	8M0187161	8M0187160
	14.75"	8M0181201	8M0181200
	15.00"	8M0139055	8M0139056
	15.25"	8M0148163	8M0148164
<b>35"</b>	14.63"	8M0187167	8M0187166
	14.75"	8M0164147	8M0164146
	15.00"	8M0139763	8M0139764
	15.25"	8M0148291	8M0148290
<b>36"</b>	14.63"	8M0187189	8M0187188
	14.75"	8M0166025	8M0166026
	15.00"	8M0148311	8M0148310
	15.25"	8M0127245	8M0127244
<b>37"</b>	14.63"	8M0187197	8M0187196
	14.75"	8M0167787	8M0167788
	15.00"	8M0168393	8M0168392
	15.25"	8M0187339	8M0187338

**400HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>38"</b>	14.63"	8M0187345	8M0187344
	14.75"	8M0165499	8M0165498
	15.00"	8M0187347	8M0187346
	15.25"	8M0187411	8M0187410
<b>39"</b>	14.63"	8M0187413	8M0187412
	14.75"	8M0187415	8M0187414
	15.00"	8M0187417	8M0187416
	15.25"	8M0187419	8M0187418
<b>40"</b>	14.63"	8M0187421	8M0187420
	14.75"	8M0187509	8M0187508
	15.00"	8M0187511	8M0187510
	15.25"	8M0187513	8M0187512


Published July 2022  
 © 2022 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.







WIDE  
OPEN



OUTBOARD | 500HP

## CNC CLEAVER

The Mercury Racing 500HP 5-blade Mercury Racing CNC Outboard Cleaver propellers are recommended for use with the Mercury Racing 450R outboard fitted with the surface-piercing Sport Master gearcase. The precision-machined props are designed to maximize boat performance and handling in a variety of 450R Sport Master applications. Mercury Racing's proprietary 5-axis CNC production process yields the most consistent, durable, and advanced propellers we have ever produced.

Outboard Cleaver propellers are available with pitch ranges of 26 to 40 inch, 14.63 to 15.25 inch diameter, and 15 or 18 degree rake.

Published July 2022  
© 2022 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.



[MERCURYRACING.COM/PROPELLERS](https://www.mercuryracing.com/propellers)

**MERCURY**  
**RACING**



**500HP OUTBOARD CLEAVER 18° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.63"	8M0189543	8M0189542
	14.75"	8M0159955	8M0159956
	15.00"	8M0154969	8M0154970
	15.25"	8M0160051	8M0160052
<b>27"</b>	14.63"	8M0189547	8M0189546
	14.75"	8M0160105	8M0160106
	15.00"	8M0160111	8M0160112
	15.25"	8M0160113	8M0160114
<b>28"</b>	14.63"	8M0189551	8M0189550
	14.75"	8M0160483	8M0160484
	15.00"	8M0160485	8M0160486
	15.25"	8M0160487	8M0160488
<b>29"</b>	14.63"	8M0189555	8M0189554
	14.75"	8M0160581	8M0160582
	15.00"	8M0160583	8M0160584
	15.25"	8M0160585	8M0160586
<b>30"</b>	14.63"	8M0189559	8M0189558
	14.75"	8M0160653	8M0160652
	15.00"	8M0160655	8M0160654
	15.25"	8M0160657	8M0160656
<b>31"</b>	14.63"	8M0189563	8M0189562
	14.75"	8M0160737	8M0160738
	15.00"	8M0160739	8M0160740
	15.25"	8M0160741	8M0160742
<b>32"</b>	14.63"	8M0189567	8M0189566
	14.75"	8M0160803	8M0160804
	15.00"	8M0160805	8M0160806
	15.25"	8M0160807	8M0160808
<b>33"</b>	14.63"	8M0189571	8M0189570
	14.75"	8M0160853	8M0160852
	15.00"	8M0159339	8M0159338
	15.25"	8M0160855	8M0160854
<b>34"</b>	14.63"	8M0189575	8M0189574
	14.75"	8M0160835	8M0160834
	15.00"	8M0159341	8M0159340
	15.25"	8M0160837	8M0160836
<b>35"</b>	14.63"	8M0189579	8M0189578
	14.75"	8M0160829	8M0160828
	15.00"	8M0160831	8M0160830
	15.25"	8M0160833	8M0160832
<b>36"</b>	14.63"	8M0189583	8M0189582
	14.75"	8M0159975	8M0159974
	15.00"	8M0159977	8M0159976
	15.25"	8M0159979	8M0159978
<b>37"</b>	14.63"	8M0176384	8M0176384
	14.75"	8M0160041	8M0160042
	15.00"	8M0160043	8M0160044
	15.25"	8M0160045	8M0160046

**500HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.63"	8M0189541	8M0189540
	14.75"	8M0159883	8M0159882
	15.00"	8M0154967	8M0154968
	15.25"	8M0159953	8M0159954
<b>27"</b>	14.63"	8M0189545	8M0189544
	14.75"	8M0160053	8M0160054
	15.00"	8M0160055	8M0160056
	15.25"	8M0160057	8M0160058
<b>28"</b>	14.63"	8M0189549	8M0189548
	14.75"	8M0160127	8M0160128
	15.00"	8M0160129	8M0160130
	15.25"	8M0160131	8M0160132
<b>29"</b>	14.63"	8M0189553	8M0189552
	14.75"	8M0160539	8M0160538
	15.00"	8M0160541	8M0160540
	15.25"	8M0160543	8M0160542
<b>30"</b>	14.63"	8M0189557	8M0189556
	14.75"	8M0160589	8M0160590
	15.00"	8M0160591	8M0160592
	15.25"	8M0160593	8M0160594
<b>31"</b>	14.63"	8M0189561	8M0189560
	14.75"	8M0160659	8M0160660
	15.00"	8M0155583	8M0155582
	15.25"	8M0160661	8M0160662
<b>32"</b>	14.63"	8M0189565	8M0189564
	14.75"	8M0160751	8M0160752
	15.00"	8M0155573	8M0155574
	15.25"	8M0160121	8M0160120
<b>33"</b>	14.63"	8M0189569	8M0189568
	14.75"	8M0160851	8M0160850
	15.00"	8M0155575	8M0155576
	15.25"	8M0160123	8M0160122
<b>34"</b>	14.63"	8M0189573	8M0189572
	14.75"	8M0160857	8M0160856
	15.00"	8M0160859	8M0160858
	15.25"	8M0160861	8M0160860
<b>35"</b>	14.63"	8M0189577	8M0189576
	14.75"	8M0155383	8M0155384
	15.00"	8M0156787	8M0156788
	15.25"	8M0160827	8M0160826
<b>36"</b>	14.63"	8M0189581	8M0189580
	14.75"	8M0155385	8M0155386
	15.00"	8M0159893	8M0159892
	15.25"	8M0159973	8M0159972
<b>37"</b>	14.63"	8M0189585	8M0189584
	14.75"	8M0157711	8M0157712
	15.00"	8M0160037	8M0160038
	15.25"	8M0160039	8M0160040

**500HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>38"</b>	14.63"	8M0161383	8M0161384
	14.75"	8M0163489	8M0163488
	15.00"	8M0163491	8M0163490
	15.25"	8M0163493	8M0163492
<b>39"</b>	14.63"	8M0189587	8M0189586
	14.75"	8M0163513	8M0163514
	15.00"	8M0163515	8M0163516
	15.25"	8M0163517	8M0163518
<b>40"</b>	14.63"	8M0189589	8M0189588
	14.75"	8M0163521	8M0163522
	15.00"	8M0163523	8M0163524
	15.25"	8M0163525	8M0163526


Published July 2022  
 © 2022 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.







WIDE  
OPEN



500R OUTBOARD | 500HP

## CNC CLEAVER

The Mercury Racing 500HP 5-blade CNC Outboard Cleaver propellers are recommended for use with the R-Series 500R outboard fitted with the surface-piercing R-Drive Sport gearcase. Both the gearcase and these props specifically feature a 1.50-inch prop shaft.

The precision-machined props are designed to maximize boat performance and handling in a variety of 500R R-Drive Sport applications. The proprietary five-axis CNC production process yields the most consistent, durable, and advanced propellers Mercury Racing has ever produced.

Outboard Cleaver propellers are available with pitch ranges of 26 to 40 inch, 14.75 to 15.63 inch diameter, and 15- or 18-degree rake

Published July 2023  
© 2023 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.

[MERCURYRACING.COM/PROPELLERS](https://www.mercuryracing.com/propellers)

**MERCURY**  
**RACING**



**1.50" SPLINE 500HP OUTBOARD CLEAVER 18° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.75	8M0211333	8M0211332
	15.00	8M0211335	8M0211334
	15.25	8M0211337	8M0211336
	15.50	8M0215703	8M0215702
	15.63	8M0211331	8M0211330
<b>27"</b>	14.75	8M0211349	8M0211348
	15.00	8M0211350	8M0211350
	15.25	8M0211353	8M0211352
	15.50	8M0215707	8M0215706
	15.63	8M0211347	8M0211346
<b>28"</b>	14.75	8M0211365	8M0211364
	15.00	8M0211367	8M0211366
	15.25	8M0211369	8M0211368
	15.50	8M0215711	8M0215710
	15.63	8M0211363	8M0211362
<b>29"</b>	14.75	8M0211381	8M0211380
	15.00	8M0211383	8M0211382
	15.25	8M0211385	8M0211384
	15.50	8M0215715	8M0215714
	15.63	8M0211379	8M0211378
<b>30"</b>	14.75	8M0211397	8M0211396
	15.00	8M0211399	8M0211398
	15.25	8M0211401	8M0211400
	15.50	8M0215719	8M0215718
	15.63	8M0211395	8M0211394
<b>31"</b>	14.75	8M0211413	8M0211412
	15.00	8M0211415	8M0211414
	15.25	8M0211417	8M0211416
	15.50	8M0215723	8M0215722
	15.63	8M0211411	8M0211410
<b>32"</b>	14.75	8M0211429	8M0211428
	15.00	8M0211431	8M0211430
	15.25	8M0211433	8M0211432
	15.50	8M0215727	8M0215726
	15.63	8M0211427	8M0211426
<b>33"</b>	14.75	8M0211445	8M0211444
	15.00	8M0211447	8M0211446
	15.25	8M0211449	8M0211448
	15.50	8M0215731	8M0215730
	15.63	8M0211443	8M0211442
<b>34"</b>	14.75	8M0211461	8M0211460
	15.00	8M0211463	8M0211462
	15.25	8M0211465	8M0211464
	15.50	8M0215735	8M0215734
	15.63	8M0211459	8M0211458
<b>35"</b>	14.75	8M0211477	8M0211476
	15.00	8M0211479	8M0211478
	15.25	8M0211481	8M0211480
	15.50	8M0215739	8M0215738
	15.63	8M0211475	8M0211474
<b>36"</b>	14.75	8M0211493	8M0211492
	15.00	8M0211495	8M0211494
	15.25	8M0211497	8M0211496
	15.50	8M0215743	8M0215742
	15.63	8M0211491	8M0211490
<b>37"</b>	14.75	8M0211509	8M0211508
	15.00	8M0211511	8M0211510
	15.25	8M0211513	8M0211512
	15.50	8M0215747	8M0215746
	15.63	8M0211507	8M0211506

**1.50" SPLINE 500HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>26"</b>	14.75	8M0211325	8M0211324
	15.00	8M0211327	8M0211326
	15.25	8M0211329	8M0211328
	15.50	8M0215701	8M0215700
	15.63	8M0211323	8M0211558
<b>27"</b>	14.75	8M0211341	8M0211340
	15.00	8M0211343	8M0211342
	15.25	8M0211345	8M0211344
	15.50	8M0215705	8M0215704
	15.63	8M0211339	8M0211338
<b>28"</b>	14.75	8M0211357	8M0211356
	15.00	8M0211359	8M0211358
	15.25	8M0211361	8M0211360
	15.50	8M0215709	8M0215708
	15.63	8M0211355	8M0211354
<b>29"</b>	14.75	8M0211373	8M0211372
	15.00	8M0211375	8M0211374
	15.25	8M0211377	8M0211376
	15.50	8M0215713	8M0215712
	15.63	8M0211371	8M0211370
<b>30"</b>	14.75	8M0211389	8M0211388
	15.00	8M0211391	8M0211390
	15.25	8M0211393	8M0211392
	15.50	8M0215717	8M0215716
	15.63	8M0211387	8M0211386
<b>31"</b>	14.75	8M0211405	8M0211404
	15.00	8M0211407	8M0211406
	15.25	8M0211409	8M0211408
	15.50	8M0215721	8M0215720
	15.63	8M0211403	8M0211402
<b>32"</b>	14.75	8M0211421	8M0211420
	15.00	8M0211423	8M0211422
	15.25	8M0211425	8M0211424
	15.50	8M0215725	8M0215724
	15.63	8M0211419	8M0211418
<b>33"</b>	14.75	8M0211437	8M0211436
	15.00	8M0211439	8M0211438
	15.25	8M0211441	8M0211440
	15.50	8M0215729	8M0215728
	15.63	8M0211435	8M0211434
<b>34"</b>	14.75	8M0211453	8M0211452
	15.00	8M0211455	8M0211454
	15.25	8M0211457	8M0211456
	15.50	8M0215733	8M0215732
	15.63	8M0211451	8M0211450
<b>35"</b>	14.75	8M0211469	8M0211468
	15.00	8M0211471	8M0211470
	15.25	8M0211473	8M0211472
	15.50	8M0215737	8M0215736
	15.63	8M0211467	8M0211466
<b>36"</b>	14.75	8M0211485	8M0211484
	15.00	8M0211487	8M0211486
	15.25	8M0211489	8M0211488
	15.50	8M0215741	8M0215740
	15.63	8M0211483	8M0211482
<b>37"</b>	14.75	8M0211501	8M0211500
	15.00	8M0211503	8M0211502
	15.25	8M0211505	8M0211504
	15.50	8M0215745	8M0215744
	15.63	8M0211499	8M0211498

**1.50" SPLINE 500HP OUTBOARD CLEAVER 15° RAKE**

PITCH	DIAMETER	LH	RH
<b>38"</b>	14.75	8M0211517	8M0211516
	15.00	8M0211519	8M0211518
	15.25	8M0211521	8M0211520
	15.50	8M0215755	8M0215754
	15.63	8M0211515	8M0211514
<b>39"</b>	14.75	8M0211525	8M0211524
	15.00	8M0211527	8M0211526
	15.25	8M0211529	8M0211528
	15.50	8M0215749	8M0215748
	15.63	8M0211523	8M0211522
<b>40"</b>	14.75	8M0211533	8M0211532
	15.00	8M0211535	8M0211534
	15.25	8M0211537	8M0211536
	15.50	8M0215751	8M0215750
	15.63	8M0211531	8M0211530