



WIDE OPEN



OUTBOARD | 300HP ALTITUDE

Altitude propellers are designed to provide ultimate top-end speed without sacrificing low-speed maneuverability or planing performance for high-performance outboard-powered hulls using thru-hub exhaust. Fully CNC-machined using proprietary 5-axis technology, Altitude propellers feature an industry-first modular barrel design that allows for dialing in stern lift and supports additional customization options.

Four barrel lengths are available for custom order in 0, 1-, 2- and 3-inch options. All Altitude propellers ship in a Mercury Racing Propeller Case.

300HP ALTITUDE 18° RAKE

PITCH	DIAMETER	LH	RH
26"	14.75"	8M0226683	8M0226682
	15.00"	8M0226685	8M0226684
	15.25"	8M0226687	8M0226686
	15.50"	8M0226689	8M0226688
27"	14.75"	8M0226699	8M0226698
	15.00"	8M0226701	8M0226700
	15.25"	8M0226703	8M0226702
	15.50"	8M0226705	8M0226704
28"	14.75"	8M0226715	8M0226714
	15.00"	8M0226717	8M0226716
	15.25"	8M0226719	8M0226718
	15.50"	8M0226721	8M0226720

300HP ALTITUDE 15° RAKE

PITCH	DIAMETER	LH	RH
30"	14.75"	8M0226739	8M0226738
	15.00"	8M0226741	8M0226740
	15.25"	8M0226743	8M0226742
	15.50"	8M0226745	8M0226744
31"	14.75"	8M0226755	8M0226754
	15.00"	8M0226757	8M0226756
	15.25"	8M0226759	8M0226758
	15.50"	8M0226761	8M0226760
32"	14.75"	8M0226771	8M0226770
	15.00"	8M0226773	8M0226772
	15.25"	8M0226775	8M0226774
	15.50"	8M0226777	8M0226776

300HP ALTITUDE 15° RAKE

PITCH	DIAMETER	LH	RH
33"	14.75"	8M0226787	8M0226786
	15.00"	8M0226789	8M0226788
	15.25"	8M0226791	8M0226790
	15.50"	8M0226793	8M0226792
34"	14.75"	8M0226803	8M0226802
	15.00"	8M0226805	8M0226804
	15.25"	8M0226807	8M0226806
	15.50"	8M0226809	8M0226808
35"	14.75"	8M0226819	8M0226818
	15.00"	8M0226821	8M0226820
	15.25"	8M0226823	8M0226822
	15.50"	8M0226825	8M0226824

Published October 2024
© 2024 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.





WIDE OPEN



OUTBOARD | 400HP

ALTITUDE

Altitude propellers are designed to provide ultimate top-end speed without sacrificing low-speed maneuverability or planing performance for high-performance outboard-powered hulls using thru-hub exhaust. Fully CNC-machined using proprietary 5-axis technology, Altitude propellers feature an industry-first modular barrel design that allows for dialing in stern lift and supports additional customization options.

Four barrel lengths are available for custom order in 0, 1-, 2- and 3-inch options. All Altitude propellers ship in a Mercury Racing Propeller Case.

400HP ALTITUDE 18° RAKE

PITCH	DIAMETER	LH	RH
26"	14.75"	8M0226491	8M0226490
	15.00"	8M0226493	8M0226492
	15.25"	8M0226495	8M0226494
	15.50"	8M0226497	8M0226496
27"	14.75"	8M0226507	8M0226506
	15.00"	8M0226509	8M0226508
	15.25"	8M0226511	8M0226510
	15.50"	8M0226513	8M0226512
28"	14.75"	8M0226523	8M0226522
	15.00"	8M0226525	8M0226524
	15.25"	8M0226527	8M0226526
	15.50"	8M0226529	8M0226528

400HP ALTITUDE 15° RAKE

PITCH	DIAMETER	LH	RH
30"	14.75"	8M0226547	8M0226546
	15.00"	8M0226549	8M0226548
	15.25"	8M0226551	8M0226550
	15.50"	8M0226553	8M0226552
31"	14.75"	8M0226563	8M0226562
	15.00"	8M0226565	8M0226564
	15.25"	8M0226567	8M0226566
	15.50"	8M0226569	8M0226568
32"	14.75"	8M0226579	8M0226578
	15.00"	8M0226581	8M0226580
	15.25"	8M0226583	8M0226582
	15.50"	8M0226585	8M0226584

400HP ALTITUDE 15° RAKE

PITCH	DIAMETER	LH	RH
33"	14.75"	8M0226595	8M0226594
	15.00"	8M0226597	8M0226596
	15.25"	8M0226599	8M0226598
	15.50"	8M0226601	8M0226600
34"	14.75"	8M0226611	8M0226610
	15.00"	8M0226613	8M0226612
	15.25"	8M0226615	8M0226614
	15.50"	8M0226617	8M0226616
35"	14.75"	8M0226627	8M0226626
	15.00"	8M0226629	8M0226628
	15.25"	8M0226631	8M0226630
	15.50"	8M0226633	8M0226632

Published October 2024
© 2024 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.





WIDE OPEN



OUTBOARD | 500HP ALTITUDE

Altitude propellers are designed to provide ultimate top-end speed without sacrificing low-speed maneuverability or planing performance for high-performance outboard-powered hulls using thru-hub exhaust. Fully CNC-machined using proprietary 5-axis technology, Altitude propellers feature an industry-first modular barrel design that allows for dialing in stern lift and supports additional customization options.

Four barrel lengths are available for custom order in 0, 1-, 2- and 3-inch options. All Altitude propellers ship in a Mercury Racing Propeller Case. 500HP models feature 1.50" broached splines for use on 500R outboards only.

500HP ALTITUDE 18° RAKE

PITCH	DIAMETER	LH	RH
26"	14.75"	8M0226299	8M0226298
	15.00"	8M0226301	8M0226300
	15.25"	8M0226303	8M0226302
	15.50"	8M0226305	8M0226304
27"	14.75"	8M0226315	8M0226314
	15.00"	8M0226317	8M0226316
	15.25"	8M0226319	8M0226318
	15.50"	8M0226321	8M0226320
28"	14.75"	8M0226331	8M0226330
	15.00"	8M0226333	8M0226332
	15.25"	8M0226335	8M0226334
	15.50"	8M0226337	8M0226336

500HP ALTITUDE 15° RAKE

PITCH	DIAMETER	LH	RH
30"	14.75"	8M0226355	8M0226354
	15.00"	8M0226357	8M0226356
	15.25"	8M0226359	8M0226358
	15.50"	8M0226361	8M0226360
31"	14.75"	8M0226371	8M0226370
	15.00"	8M0226373	8M0226372
	15.25"	8M0226375	8M0226374
	15.50"	8M0226377	8M0226376
32"	14.75"	8M0226387	8M0226386
	15.00"	8M0226389	8M0226388
	15.25"	8M0226391	8M0226390
	15.50"	8M0226393	8M0226392

500HP ALTITUDE 15° RAKE

PITCH	DIAMETER	LH	RH
33"	14.75"	8M0226403	8M0226402
	15.00"	8M0226405	8M0226404
	15.25"	8M0226407	8M0226406
	15.50"	8M0226409	8M0226408
34"	14.75"	8M0226419	8M0226418
	15.00"	8M0226421	8M0226420
	15.25"	8M0226423	8M0226422
	15.50"	8M0226425	8M0226424
35"	14.75"	8M0226435	8M0226434
	15.00"	8M0226437	8M0226436
	15.25"	8M0226439	8M0226438
	15.50"	8M0226441	8M0226440

Published October 2024
© 2024 MERCURY RACING. All Rights Reserved. Reproduction in whole or in part without permission is prohibited. All models and specifications are subject to change without notice or without incurring obligations to modify previously manufactured products. All trademarks belong to Brunswick Corporation.

